

# Tmax

DOC. N.° 1SDH000569R0001 - L2691



Parte fissa di interruttore rimovibile/estraibile T4L250-T5L400 1000V AC

Fixed part for plug-in/withdrawable circuit-breakers T4L250-T5L400 1000V AC


Festteil für Leistungsschalter in steckbarer Ausführung/ausfahrbarer Ausführung T4L250-T5L400 1000V AC

Partie fixe pour disjoncteur debrochable/debrochable sur chariot T4L250-T5L400 1000V AC

Parte fija para interruptor enchufable/extraible T4L250-T5L400 1000V AC



B



	T4 III	T4 IV	T5 III	T5 IV
A	61	96	72.5	119
B	130	130	130	130
C	30.5	30.5	36.25	36.25
D	65	65	65	65

**C** (P/W)

T4 | 10 Nm  
T5 | 25 Nm

	T4	T5
D max	18	24
L min	20	26

T4	MAX 185 mm <sup>2</sup>	MAX 120 mm <sup>2</sup>
	MIN 2,5 mm <sup>2</sup>	MIN 2,5 mm <sup>2</sup>
T5	MAX 300 mm <sup>2</sup>	MAX 240 mm <sup>2</sup>
	MIN 16 mm <sup>2</sup>	MIN 16 mm <sup>2</sup>


**D** (W)

**E**


T4

T5


F





G



H



I



	T4L250	T5L400
A	160	160
B	100	100
C	160	160
D	157	157



ABB SACE S.p.A.  
Via Baioni, 35  
24123 Bergamo Italy

Tel.: +39 035 395.111 - Telefax: +39 035 395.306-433

<http://www.abb.com>